



- 1Ω to 1.2MΩ
- 1% accuracy
- In-line readout
- Low temperature coefficient
- Mechanically and electrically robust
- Safety terminals
- Fully screened
- · Ideal for educational applications

DESCRIPTION

A low cost resistance decade box designed to meet the standard required in both educational and industrial applications. Metal film resistors with a 0.75 watt power rating are used throughout, providing the advantages of stability and low temperature coefficient.

Six large switches with a clear numerical readout make the 1061 easy to use in educational establishments or in other applications where robustness is a price consideration. The slim line design means it takes up minimum bench space, while the 1% accuracy and wide range makes it suitable for production or select-on-test usage. The case provides complete electrostatic screening.

Resistance is selected by dialling the value required using the rotary switches. This enables precise setting with a clear unambiguous indication.

Safety Terminals: The front panel safety terminals are compatible with 4mm shrouded plugs, as well as standard plugs, bare wires, and spade terminals.

SPECIFICATIONS

Range /	/ Resolution	. 0 t	to 1	.2MΩ /	′1Ω steps
---------	--------------	-------	------	--------	-----------

Number of Decades6

Accuracy ± 1%

Residual Resistance Less than 150mΩ

Power Rating 0.75 watt per resistor

Voltage Rating Maximum 300V DC/AC RMS

ORDERING INFORMATION

1061	Low Cost Resistance Decade Box
C161	Factory Calibration Certificate (NPL)
C114	UKAS Calibration Certificate (ISO 17025

the right to change specifications without prior

